


Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Item description/product images



Description

Material:

Grip thermoplastic.

Bush and screw stainless steel 1.4305.

Safety cable elastic TPU.

Version:

Bush and screw bright.

Note:

Δ Add the desired cap colour code here. No colour code is required for black caps.

Attach the safety cable to a base to make the star grip unlosable.

The star grip cannot be moved far from the object to which it belongs, simplifying screwing and unscrewing of the grip and ensuring against loss.

Assembly:

Do not stretch the band during assembly.

Make sure that the anchor is not too far from where the star grip is to be used.

Accessory:

The safety cable is also available as an accessory, see K0743.04190.


Drawing reference:

Form KS: tapped bush, with cap

Form LS: male thread

Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Drawings



Overview of items

Star grips with safety cable, metal parts stainless steel, internal thread, Form KS

Order No.	Form	Colour Cap	D	D1	D8	H	H3	H5 max.	L	T
K0154.605	KS	black grey RAL 7021	M5	25	12	16	8	22	-	10
K0154.6055	KS	light grey RAL 7035	M5	25	12	16	8	22	-	10
K0154.6056	KS	traffic red RAL 3020	M5	25	12	16	8	22	-	10
K0154.6057	KS	rape yellow RAL 1021	M5	25	12	16	8	22	-	10
K0154.606	KS	black grey RAL 7021	M6	32	14	20	10	26	-	10
K0154.6065	KS	light grey RAL 7035	M6	32	14	20	10	26	-	10
K0154.6066	KS	traffic red RAL 3020	M6	32	14	20	10	26	-	10
K0154.6067	KS	rape yellow RAL 1021	M6	32	14	20	10	26	-	10
K0154.608	KS	black grey RAL 7021	M8	40	18	25	13	31	-	14
K0154.6085	KS	light grey RAL 7035	M8	40	18	25	13	31	-	14
K0154.6086	KS	traffic red RAL 3020	M8	40	18	25	13	31	-	14
K0154.6087	KS	rape yellow RAL 1021	M8	40	18	25	13	31	-	14
K0154.610	KS	black grey RAL 7021	M10	50	22	32	17	38	-	14
K0154.6105	KS	light grey RAL 7035	M10	50	22	32	17	38	-	14
K0154.6106	KS	traffic red RAL 3020	M10	50	22	32	17	38	-	14
K0154.6107	KS	rape yellow RAL 1021	M10	50	22	32	17	38	-	14
K0154.612	KS	black grey RAL 7021	M12	63	26	40	21	46	-	18
K0154.6125	KS	light grey RAL 7035	M12	63	26	40	21	46	-	18
K0154.6126	KS	traffic red RAL 3020	M12	63	26	40	21	46	-	18
K0154.6127	KS	rape yellow RAL 1021	M12	63	26	40	21	46	-	18
K0154.705X15	LS	black grey RAL 7021	M5	25	12	16	8	22	15	-
K0154.7055X15	LS	light grey RAL 7035	M5	25	12	16	8	22	15	-
K0154.7056X15	LS	traffic red RAL 3020	M5	25	12	16	8	22	15	-
K0154.7057X15	LS	rape yellow RAL 1021	M5	25	12	16	8	22	15	-
K0154.705X20	LS	black grey RAL 7021	M5	25	12	16	8	22	20	-
K0154.7055X20	LS	light grey RAL 7035	M5	25	12	16	8	22	20	-
K0154.7056X20	LS	traffic red RAL 3020	M5	25	12	16	8	22	20	-
K0154.7057X20	LS	rape yellow RAL 1021	M5	25	12	16	8	22	20	-
K0154.706X20	LS	black grey RAL 7021	M6	32	14	20	10	26	20	-
K0154.7065X20	LS	light grey RAL 7035	M6	32	14	20	10	26	20	-
K0154.7066X20	LS	traffic red RAL 3020	M6	32	14	20	10	26	20	-
K0154.7067X20	LS	rape yellow RAL 1021	M6	32	14	20	10	26	20	-

Star grips with safety cable similar to DIN 6336, metal parts stainless steel

Overview of items

Order No.	Form	Colour Cap	D	D1	D8	H	H3	H5 max.	L	T
K0154.706X30	LS	black grey RAL 7021	M6	32	14	20	10	26	30	-
K0154.7065X30	LS	light grey RAL 7035	M6	32	14	20	10	26	30	-
K0154.7066X30	LS	traffic red RAL 3020	M6	32	14	20	10	26	30	-
K0154.7067X30	LS	rape yellow RAL 1021	M6	32	14	20	10	26	30	-
K0154.708X15	LS	black grey RAL 7021	M8	40	18	25	13	31	15	-
K0154.7085X15	LS	light grey RAL 7035	M8	40	18	25	13	31	15	-
K0154.7086X15	LS	traffic red RAL 3020	M8	40	18	25	13	31	15	-
K0154.7087X15	LS	rape yellow RAL 1021	M8	40	18	25	13	31	15	-
K0154.708X20	LS	black grey RAL 7021	M8	40	18	25	13	31	20	-
K0154.7085X20	LS	light grey RAL 7035	M8	40	18	25	13	31	20	-
K0154.7086X20	LS	traffic red RAL 3020	M8	40	18	25	13	31	20	-
K0154.7087X20	LS	rape yellow RAL 1021	M8	40	18	25	13	31	20	-
K0154.708X25	LS	black grey RAL 7021	M8	40	18	25	13	31	25	-
K0154.7085X25	LS	light grey RAL 7035	M8	40	18	25	13	31	25	-
K0154.7086X25	LS	traffic red RAL 3020	M8	40	18	25	13	31	25	-
K0154.7087X25	LS	rape yellow RAL 1021	M8	40	18	25	13	31	25	-
K0154.708X30	LS	black grey RAL 7021	M8	40	18	25	13	31	30	-
K0154.7085X30	LS	light grey RAL 7035	M8	40	18	25	13	31	30	-
K0154.7086X30	LS	traffic red RAL 3020	M8	40	18	25	13	31	30	-
K0154.7087X30	LS	rape yellow RAL 1021	M8	40	18	25	13	31	30	-
K0154.708X40	LS	black grey RAL 7021	M8	40	18	25	13	31	40	-
K0154.7085X40	LS	light grey RAL 7035	M8	40	18	25	13	31	40	-
K0154.7086X40	LS	traffic red RAL 3020	M8	40	18	25	13	31	40	-
K0154.7087X40	LS	rape yellow RAL 1021	M8	40	18	25	13	31	40	-
K0154.708X60	LS	black grey RAL 7021	M8	40	18	25	13	31	60	-
K0154.7085X60	LS	light grey RAL 7035	M8	40	18	25	13	31	60	-
K0154.7086X60	LS	traffic red RAL 3020	M8	40	18	25	13	31	60	-
K0154.7087X60	LS	rape yellow RAL 1021	M8	40	18	25	13	31	60	-
K0154.710X25	LS	black grey RAL 7021	M10	50	22	32	17	38	25	-
K0154.7105X25	LS	light grey RAL 7035	M10	50	22	32	17	38	25	-
K0154.7106X25	LS	traffic red RAL 3020	M10	50	22	32	17	38	25	-
K0154.7107X25	LS	rape yellow RAL 1021	M10	50	22	32	17	38	25	-
K0154.710X30	LS	black grey RAL 7021	M10	50	22	32	17	38	30	-
K0154.7105X30	LS	light grey RAL 7035	M10	50	22	32	17	38	30	-
K0154.7106X30	LS	traffic red RAL 3020	M10	50	22	32	17	38	30	-
K0154.7107X30	LS	rape yellow RAL 1021	M10	50	22	32	17	38	30	-
K0154.710X40	LS	black grey RAL 7021	M10	50	22	32	17	38	40	-
K0154.7105X40	LS	light grey RAL 7035	M10	50	22	32	17	38	40	-
K0154.7106X40	LS	traffic red RAL 3020	M10	50	22	32	17	38	40	-
K0154.7107X40	LS	rape yellow RAL 1021	M10	50	22	32	17	38	40	-
K0154.710X50	LS	black grey RAL 7021	M10	50	22	32	17	38	50	-
K0154.7105X50	LS	light grey RAL 7035	M10	50	22	32	17	38	50	-
K0154.7106X50	LS	traffic red RAL 3020	M10	50	22	32	17	38	50	-
K0154.7107X50	LS	rape yellow RAL 1021	M10	50	22	32	17	38	50	-
K0154.710X60	LS	black grey RAL 7021	M10	50	22	32	17	38	60	-
K0154.7105X60	LS	light grey RAL 7035	M10	50	22	32	17	38	60	-
K0154.7106X60	LS	traffic red RAL 3020	M10	50	22	32	17	38	60	-
K0154.7107X60	LS	rape yellow RAL 1021	M10	50	22	32	17	38	60	-